




HP Beats Special Edition 15-p390nr Speakers Replacement

This guide will help you replace your HP Beats Special Edition 15-p390nr speakers.

Written By: Deziree Mascarenas



INTRODUCTION

If you find yourself needing to replace your HP Beats Special Edition 15-p390nr speakers this guide will show you step by step.



TOOLS:

- [Phillips #0 Screwdriver](#) (1)
 - [Phillips #00 Screwdriver](#) (1)
 - [Metal Spudger](#) (1)
-

Step 1 — Keyboard



⚠ Turn computer off before starting.


- Turn computer over and begin removing noticeable 8mm screws with a Phillips #0 screwdriver.

Step 2




- i Some screws may be hidden under a screw cover.
 - Simply use a metal spudger to pop off the screw cover to unveil the hidden 8mm screw.
- i Screw cover may fly when removing.

Step 3




- Once screws are removed you may now remove the optical drive.
- Remove the hidden 3mm screw in the optical drive port.

Step 4



- Remove the rubberized feet located on the left and right shoulder of the computer to uncover hidden 8mm screws.
- ⓘ Popping noises are normal.
- The shoulder caps are removable. Underneath there are 2 additional screws.

Step 5



- Flip computer over and wedge metal spudger along the computer to pop off keyboard panel

Step 6



- Unclip wires connected to the motherboard and remove keyboard from the device.

i 17 screws should be removed up to this point.

Step 7 — Motherboard




- Remove screws from the motherboard.
- ⓘ 11 screws should be removed from the motherboard

Step 8




- Unclamp wire strips from motherboard.

Step 9




- Detach by lifting the motherboard up and flip the motherboard over.

Step 10



- Unclip wifi card for further procedures

Step 11 — Speakers



- Remove the screws from the hinge on each side

Step 12



- Remove the speakers

To reassemble your device, follow these instructions in reverse order.