




# Razer Blade Stealth 2017 Battery Replacement

This guide outlines how to disconnect the battery on the Razer Blade Stealth 2017.

Written By: Ethan Schlocker



## INTRODUCTION

This guide outlines how to remove the lithium-ion battery in the Razer Blade Stealth 2017. Battery replacement may be necessary if the battery is not charging, not powering the computer, swollen, leaking, or not lasting as long as you would like. Some tools are required for this replacement.



### TOOLS:

- [T5 Torx Screwdriver](#) (1)
- [Phillips #00 Screwdriver](#) (1)
- [Spudger](#) (1)



### PARTS:

- [Razer Blade RC30-0196 Battery](#) (1)

## Step 1 — Battery



- ⓘ Before you begin, be sure to turn off your laptop and discharge the battery down to 25%.
- Use a Torx T5 screwdriver to remove the eight, 3mm screws on the bottom cover of the laptop.
- ⓘ Whenever you remove screws from the device, remember to save and label them.


## Step 2



- Remove the bottom cover of the laptop by sliding it away from the hinge.


⚠ Do not force the cover up!

## Step 3



- Use your fingernail to pry up and disconnect the battery from the motherboard.


## Step 4



- Use a Phillips #00 screwdriver to remove the six, 5mm screws securing the battery.



## Step 5



- ❗ Remove any tape attached to the battery.
- Use the plastic spudger to pry out the battery.

To reassemble your device, follow these instructions in reverse order.

For optimal performance, after completing this guide, [calibrate](#) your newly installed battery.

Take your e-waste to an [R2 or e-Stewards certified recycler](#).

Repair didn't go as planned? Try some [basic troubleshooting](#), or ask our [Answers community](#) for help.