




Asus ROG Strix GL702VM-BHI7N09 Battery Replacement

This guide details how to replace the battery on an Asus ROG Strix GL702VM-BHI7N09 gaming laptop.

Written By: Gunnar Hudson



INTRODUCTION

Should your Asus ROG Strix GL702VM-BHI7N09 Gaming Laptop suffer from short battery life or outright battery failure this guide may be used to replace it.

The battery enables the laptop to be used without its charger cord. Battery failure prevents the laptop from functioning without its charger. Replacing the battery will restore this capability.

No advanced skills are needed for this procedure.



TOOLS:

- [iFixit Opening Tools](#) (1)
 - [Phillips #1 Screwdriver](#) (1)
-


Step 1 — Back Panel



- Flip the laptop over to the back panel, with the serial numbers facing up.
- Using a Phillips #1 screwdriver, remove the ten 12 mm screws from the back panel.


Step 2



 The snap seals don't need a lot of pressure to open, and may break if forced. Be gentle with the opening tool.




- Wedge the sharp edge of the plastic opening tool into the seam between the back panel and the rest of the laptop, then gently pry the panel up.
- ⓘ There will be a snapping sound as you remove the back panel, but that is just the seal loosening.
- Continue breaking the seals by sliding the plastic opening tool around the entire laptop under the seam until the back panel is free.
- Once you have broken all the seals, carefully lift the panel off.

Step 3 — Battery



- Unplug the battery from the motherboard.

Step 4



- Unscrew the 3.8 mm Phillips #1 screw on the top right hand corner of the battery.
- Lift battery from laptop frame.

To reassemble your device, follow these instructions in reverse order.