

Toshiba Portable DVD Player SD-P1700 DVD Drive Replacement

Use this guide to replace a DVD drive in a Toshiba portable DVD player.

Written By: Katarina Howald



INTRODUCTION

Use this guide to replace the DVD drive on your Toshiba portable DVD player. Make sure your DVD player is turned off and not plugged into a power source.

TOOLS:	PARTS:
 Phillips #00 Screwdriver (1) 	Toshiba DVD Drive (1)

Step 1 — DVD Drive



- Turn the DVD player upside down.
- Slide the lock switch to the side.
- Slide the battery pack toward the lock switch and off of the back case.

Step 2




- Remove the following twelve screws:
 - Ten 7 mm Phillips #00 screws
 - Two 8 mm Phillips #00 screws




- Use your fingers to pull the back case away from the body of the DVD player.
- Remove the back case.

Step 4




• Use your fingers to pull off the plastic sheet.




- Remove the following screw:
 - One 2 mm Phillips #00 screw
- Detach the gray wire.

Step 6



• Disconnect the ribbon cable by pulling it straight out of the connector.



- Remove the following five screws:
 - Three 4 mm Phillips #00 screws
 - Two 2 mm Phillips #00 screws

Step 8



• Remove three rubber stoppers.




Remove the following screws:
 Two 4mm Phillips #00 screws

Step 10



 Use your fingers to pry the motherboard away from the upper case so you can access the DVD drive wires.



- Flip the DVD player over to access the drive wires.
- Pull the bundled cable away from the connector in the same direction the individual wires are running.

Step 12



• Remove all of the DVD drive components from the case.

To reassemble your device, follow these instructions in reverse order.