




How to Clean Intake Manifold 2009-2015

Toyota Prius

A video tutorial on how to clean the intake manifold on a 2009-2015 Toyota Prius.

Written By: eCuration



INTRODUCTION

You want to do this service every 100-120k miles due to oil and sludge getting trap in the intake manifold, and also preventative maintenance on the PCV valve. Its best to do this service so you can kill 2 birds with 1 stone.

Follow this video tutorial by YouTuber [NutzAboutBolts](#) to complete the cleaning yourself.

Torque specs:

- 21 ft. lbs - Intake manifold bolts and nuts
- 6 ft. lbs - MAP sensor
- 7 ft. lbs - EGR pipe bolts
- 15 ft. lbs - Oil dipstick guide sub assembly bolts
- 7 ft. lbs - Throttle body bolts

Safety

If this is your first time working on a vehicle read our [safety tips](#) before proceeding.



TOOLS:

- [3/8" Drive Ratchet](#) (1)
- [3/8-Inch Drive Extension Bar](#) (1)
- [10mm Deep Socket](#) (1)
- [10mm Wrench](#) (1)
- [12mm Socket](#) (1)
- [Large Needle Nose Pliers](#) (1)
- [Hose Clamp](#) (1)
- [Pick Tool](#) (1)
- [Aerosol Brake Cleaner](#) (1)
- [Torque Wrench](#) (1)



PARTS:

- [Intake Gasket](#) (1)

To reassemble your device, follow these instructions in reverse order.